



BARRACUDA BUCKETS

THE GLOBAL LEADER IN LOAD
AND HAUL ATTACHMENTS



CONTENTS

INTRODUCTION	3
BARRACUDA BACKHOE BUCKETS	4
120T CLASS	5
200T-300T CLASS	6
350T-450T CLASS	7
550T-600T CLASS	8
BARRACUDA T2 BACKHOE BUCKETS	10
200T-300T CLASS	11
350T-450T CLASS	12
550T-600T CLASS	13

BARRACUDA WHEEL LOADER BUCKETS	14
100T-150T CLASS	15
220T-250T CLASS	16
250T-300T CLASS	17
COAL LOADER BUCKETS	18
BARRACUDA FACE SHOVEL BUCKETS	20
BARRACUDA ROPE SHOVEL BUCKETS	22
TAILORED SERVICES	24
GLOBAL LEADERSHIP. EXTENSIVE NETWORK.	25
KEY CUSTOMER PARTNERSHIPS	26



THE MOST ADVANCED MINING BUCKETS SUPPLIED GLOBALLY

UNLOCKING THE FULL POTENTIAL OF YOUR LOAD AND HAUL OPERATIONS

Just like our market-leading mining truck beds, our Barracuda loading attachment range offers exceptional quality.

OEM endorsed, and tailored for site specific application, Barracuda products provide the best solutions to meet the unique demands of the Mining Industry.

Designed by our expert engineering team, we can customise our loading attachments to meet your site-specific requirements (including, but not limited to size/volume, GET preference, and wear package design).

We also offer highly innovative options like our two-piece Barracuda T2 alongside more traditional loading attachment designs for 100 to 600 tonne class hydraulic excavators, shovels and loaders, and 1300-1500t class electric rope shovels.

Our global manufacturing footprint ensures we can offer our product range worldwide, with our DIFOT rates the best in the industry, and our dedicated product lifecycle care and refurbishment expertise means we produce total care for the entire life of the asset.



BARRACUDA BACKHOE BUCKETS

APPLICATION OPTIMISED FOR PRODUCTIVITY

Sized per customer requirements / material densities to maximise payloads whilst balancing weight to suit machine capabilities

Bucket profiles and engineered wear packages designed for site-specific conditions, optimising bucket performance, uptime and maintenance cycles

FULLY CUSTOMISABLE

Adaptable for customer required ground engaging tool configurations and wear package requirements


REDUCED TOTAL COST OF OWNERSHIP

Designed to maximise productivity while reducing maintenance requirements, machine downtime and total cost

QUALITY YOU CAN TRUST

Designs available for all major OEMs from 120t-600t class backhoe excavators – with designs compliant with relevant OEM specifications and to Schlam-developed FEA requirements / load cases

Manufactured by Schlam at one of our world-class, global production facilities



BARRACUDA BACKHOE BUCKETS:
RELIABLE, EFFICIENT, BUILT TO PERFORM.



120T CLASS

PRODUCT EXAMPLES

100% high strength steel construction including Q&T 450 shell and sidewalls


Wear package including:

- > Q&T 500 or Overlay internal wear liners
- > Q&T 500 or Overlay external wear liners
- > Q&T 450 or Q&T 500 wear strips

Customer selected lip and associated Ground Engaging Tools



HITACHI EX1200 7M3



KOMATSU PC1250 7M3

All volumes, widths, colours, wear components and GET shown are for illustrative purposes only, and all buckets can be customised to suit individual customer requirements. Manufacturers' names, descriptions, pictures and part numbers are used for reference purposes only.

200T-300T CLASS

PRODUCT EXAMPLES


100% high strength steel construction including Q&T 450 shell and sidewalls

Wear package including:

- > Q&T 500 or Overlay internal wear liners
- > Q&T 500 or Overlay external wear liners
- > Q&T 450 or Q&T 500 Wear Strips

Customer selected lip and associated Ground Engaging Tools

All volumes, widths, colours, wear components and GET shown are for illustrative purposes only, and all buckets can be customised to suit individual customer requirements. Manufacturers' names, descriptions, pictures and part numbers are used for reference purposes only.



KOMATSU PC2000 12M3



HITACHI EX2600 17M3



CAT 6020B 12M3



350T-450T CLASS


PRODUCT EXAMPLES

100% high strength steel construction including Q&T 450 shell and sidewalls

Wear package including:

- > Q&T 500 or Overlay internal wear liners
- > Q&T 500 or Overlay external wear liners
- > Q&T 450 or Q&T 500 wear strips

Customer selected lip and associated Ground Engaging Tools



LIEBHERR R9400 18M3



KOMATSU PC3400 18M3



HITACHI EX3600 18M3

All volumes, widths, colours, wear components and GET shown are for illustrative purposes only, and all buckets can be customised to suit individual customer requirements. Manufacturers' names, descriptions, pictures and part numbers are used for reference purposes only.

550T-600T CLASS

PRODUCT EXAMPLES

100% high strength steel construction including Q&T 450 shell and sidewalls

Wear package including:

- > Q&T 500 or Overlay internal wear liners
- > Q&T 500 or Overlay external wear liners
- > Q&T 450 or Q&T 500 Wear Strips

Customer selected lip and associated Ground Engaging Tools



CAT 6060 36M3



LIEBHERR R9600 31.5M3



HITACHI EX5600 36M3

All volumes, widths, colours, wear components and GET shown are for illustrative purposes only, and all buckets can be customised to suit individual customer requirements. Manufacturers' names, descriptions, pictures and part numbers are used for reference purposes only.



BARRACUDA T2 BACKHOE BUCKETS

INNOVATIVE TWO-PIECE DESIGN

Engineered for productivity and reduced maintenance, the Barracuda T2 has a modular design with a replaceable lower shell for simple, cost-effective repairs

REPLACEABLE LOWER SHELL

Enables full utilisation of floor / lower shell before controlled replacement

Reduces or eliminates wear package maintenance, minimising on-site hot works and enhancing safety

Minimised downtime for wear package maintenance and maximised machine availability whilst lowering costs

Reduced time for major refurbishments as T2 shells can be prefabricated and replaced quickly

REUSABLE STRUCTURE

Designed for multiple life cycles with robust upper structure, wings and lip reused for multiple life cycles, maximising return on investment on major structural components

ENHANCED PAYLOAD CAPACITY

Optimisation of bucket weight through the elimination of wear parts and tailoring for site conditions can offer lower overall weight

Lower weight allows for increased bucket volume whilst remaining within the machine load limits, offering higher material handling efficiency in the dig unit

FEATURING AN INNOVATIVE DESIGN
WITH A REPLACEABLE LOWER SHELL



200T-300T CLASS



PRODUCT EXAMPLES

100% high strength steel construction for optimised weight and service life

Reusable upper & front section including lip, routers, upper sidewalls, upper shell and upper structure/connections

Replaceable lower shell section including Q&T 450 or Q&T 500 floor and lower sidewalls

Optional wear protection including a range of heel blocks, heel tiles, and laser cladding.

Customer selected lip and associated Ground Engaging Tools



LIEBHERR R9250 12.5M3



KOMATSU PC2000 12M3



HITACHI EX2600 17.5M3

All volumes, widths, colours, wear components and GET shown are for illustrative purposes only, and all buckets can be customised to suit individual customer requirements. Manufacturers' names, descriptions, pictures and part numbers are used for reference purposes only.

350T-450T CLASS

PRODUCT EXAMPLES

100% high strength steel construction for optimised weight and service life

Reusable upper and front section including lip, routers, upper sidewalls, upper shell and upper structure/connections

Replaceable lower shell section including Q&T 450 or Q&T 500 floor and lower sidewalls


Optional wear protection including a range of heel blocks, heel tiles, and laser cladding

Customer selected lip and associated Ground Engaging Tools

All volumes, widths, colours, wear components and GET shown are for illustrative purposes only, and all buckets can be customised to suit individual customer requirements. Manufacturers' names, descriptions, pictures and part numbers are used for reference purposes only.



HITACHI EX3600 17.5M3



LIEBHERR R9400 21.5M3



CAT 6040 18M3

550T-600T CLASS

PRODUCT EXAMPLES

100% high strength steel construction for optimised weight and service life

Reusable upper and front section including lip, routers, upper sidewalls, upper shell and upper structure/connections

Replaceable lower shell section including Q&T 450 or Q&T 500 floor and lower sidewalls

Optional wear protection including a range of heel blocks, heel tiles, and laser cladding

Customer selected lip and associated Ground Engaging Tools

All volumes, widths, colours, wear components and GET shown are for illustrative purposes only, and all buckets can be customised to suit individual customer requirements. Manufacturers' names, descriptions, pictures and part numbers are used for reference purposes only.



HITACHI EX5600 32M3



LIEBHERR R9600 40M3



CAT 6060 26M3

BARRACUDA WHEEL LOADER BUCKETS

APPLICATION OPTIMISED FOR PRODUCTIVITY

Sized per customer requirements / material densities to maximise payloads whilst balancing weight to suit machine capabilities

Bucket profiles and engineered wear packages designed for site-specific conditions, optimising bucket performance, uptime and maintenance cycles

Specific designs available for coal loading operations where larger volume buckets may be utilised in low density materials

FULLY CUSTOMISABLE

Adaptable for customer-required ground engaging tool configurations and wear package requirements

REDUCED TOTAL COST OF OWNERSHIP

Designed to maximise productivity while reducing maintenance requirements, machine downtime and total cost

QUALITY YOU CAN TRUST

Designs available for all major OEMs from 100-300t class wheel loaders – with designs compliant to relevant OEM specifications and to Schlam-developed FEA requirements / load cases

Manufactured by Schlam at one of our world-class global production facilities

RELIABLE, EFFICIENT,
BUILT TO PERFORM.





100T-150T CLASS

PRODUCT EXAMPLES

100% high strength steel construction including Q&T 450 shell

Curved Q&T 450 spill guard for optimal visibility and loading

Wear package including:

- > Q&T 500 or overlay wear liners
- > Q&T 450 or Q&T 500 underside wear protection

Customer selected lip and associated Ground Engaging Tools / heel blocks / mechanically attached wear plates etc

Optional rock deflectors

All volumes, widths, colours, wear components and GET shown are for illustrative purposes only, and all buckets can be customised to suit individual customer requirements. Manufacturers' names, descriptions, pictures and part numbers are used for reference purposes only.



CAT 992K 7M3



CAT 992 NG 11.5M3



KOMATSU WA900 13M3

220T-250T CLASS

PRODUCT EXAMPLES

100% high strength steel construction including Q&T 450 shell

Curved Q&T 450 spill guard for optimal visibility and loading

Wear package including:

- > Q&T 500 or overlay wear liners
 - > Q&T 450 or Q&T 500 underside wear protection
-

Customer selected lip and associated Ground Engaging Tools / heel blocks / mechanically attached wear plates etc

Optional rock deflectors

All volumes, widths, colours, wear components and GET shown are for illustrative purposes only, and all buckets can be customised to suit individual customer requirements. Manufacturers' names, descriptions, pictures and part numbers are used for reference purposes only.



CAT 994K 19M3



KOMATSU WA1200 22M3



250T-300T CLASS

PRODUCT EXAMPLES

100% high strength steel construction including Q&T 450 shell

Curved Q&T 450 spill guard for optimal visibility and loading

Wear package including:

- > Q&T 500 or overlay wear liners
- > Q&T 450 or Q&T 500 underside wear protection


Customer selected lip and associated Ground Engaging Tools / heel blocks / mechanically attached wear plates etc

Optional rock deflectors


All volumes, widths, colours, wear components and GET shown are for illustrative purposes only, and all buckets can be customised to suit individual customer requirements. Manufacturers' names, descriptions, pictures and part numbers are used for reference purposes only.



CAT 995 28M3



KOMATSU WE1850 24M3



KOMATSU WE2350 32M3

COAL LOADER BUCKETS

PRODUCT EXAMPLES

Designed for maximum volume / payload in low density coal loading operations

100% high strength steel construction including Q&T 450 shell

Curved Q&T 450 spill guard for optimal visibility and loading

Wear package including:


- > Optional wear liners
- > Q&T 450 or Q&T 500 underside wear protection

Customer selected lip and associated Ground Engaging Tools / heel blocks / mechanically attached wear plates etc


All volumes, widths, colours, wear components and GET shown are for illustrative purposes only, and all buckets can be customised to suit individual customer requirements. Manufacturers' names, descriptions, pictures and part numbers are used for reference purposes only.



CAT 993K 24M3



KOMATSU WA900 21M3



CAT 995 40M3



BARRACUDA FACE SHOVEL BUCKETS

APPLICATION OPTIMISED FOR PRODUCTIVITY

Sized per customer requirements / material densities to maximise payloads whilst balancing weight to suit machine capabilities

Bucket profiles and Engineered wear packages designed for site-specific conditions, optimising bucket performance, uptime and maintenance cycles

FULLY CUSTOMISABLE

Adaptable for customer required ground engaging tool configurations and wear package requirements

Options for cast or fully fabricated hinge necks and backboards

REDUCED TOTAL COST OF OWNERSHIP

Designed to maximise productivity while reducing maintenance requirements, machine downtime and total cost

COMPREHENSIVE OFFERING

Designs available for all major OEMs

Accessories such as hydraulic cylinders and grease systems; and installation components including pins and bushes can be included



HELPING THE MINING INDUSTRY
OPTIMISE LOAD AND HAUL OPERATIONS



FACE SHOVEL BUCKETS

PRODUCT EXAMPLES

100% high strength steel construction including Q&T 450 shell and sidewalls

Wear package including:

- > Q&T 450, 500 or Overlay internal wear liners
- > Q&T 450, 500 or Overlay external wear liners
- > Q&T 450 or Q&T 500 wear strips

Customer selected lip and associated Ground Engaging Tools

Options for fabricated or cast clevises and hinges



HITACHI EX3600 21M3



CAT 6090 42M3

All volumes, widths, colours, wear components and GET shown are for illustrative purposes only, and all buckets can be customised to suit individual customer requirements. Manufacturers' names, descriptions, pictures and part numbers are used for reference purposes only.

BARRACUDA ROPE SHOVEL BUCKETS

APPLICATION OPTIMISED FOR PRODUCTIVITY

Sized per customer requirements / material densities to maximise payloads whilst balancing weight to suit machine capabilities

Engineered wear packages designed for site-specific conditions, optimising bucket performance, uptime and maintenance cycles

FULLY CUSTOMISABLE

Adaptable for customer required ground engaging tool configurations and wear package requirements

Options for cast or fully fabricated floors and lips

REDUCED TOTAL COST OF OWNERSHIP

Designed to maximise productivity while reducing maintenance requirements, machine downtime and total cost

COMPREHENSIVE OFFERING

Accessories such as latch systems and snubbers; and installation components including pins and bushes can be included



RELIABLE, EFFICIENT,
BUILT TO PERFORM.



ROPE SHOVEL BUCKETS

PRODUCT EXAMPLES

100% fabricated construction including dipper body, back door and bail

Site-specific customised wear packages


Customer selected cast lip and associated Ground Engaging Tools

Options for supply of mechanical components including snubbers, latches, pins, bushes etc.



KOMATSU / P&H 4100XPC

CAT / BUCYRUS 7495HD



All volumes, widths, colours, wear components and GET shown are for illustrative purposes only, and all buckets can be customised to suit individual customer requirements. Manufacturers' names, descriptions, pictures and part numbers are used for reference purposes only.

TAILORED SERVICES

PRODUCT COMMISSIONING



Our team ensures every load and haul product is installed safely to meet your site's performance objectives while adhering to OEM standards. Our experienced team guarantees precise fitment, compliance, and optimal start-up to maximise efficiency from day one.

PERFORMANCE EXCELLENCE



Through scheduled inspections we monitor fatigue, wear rates, and asset condition to keep payload productivity at its peak. Using advanced in-field testing equipment, we provide detailed data and insights that you can access and review at any stage.

NON-CONFORMANCE MANAGEMENT



We take a systematic approach to identifying, addressing, and preventing deviations from standards and expectations. By catching issues early, implementing corrective actions, and learning from every instance, Schlam ensures our products and services meet the highest standards.

PRODUCT IMPROVEMENTS



We continuously enhance our products to meet your needs and exceed expectations. Through innovation, feedback, and careful analysis, we deliver solutions that are safer, more reliable, and higher performing — helping you achieve better results every day.

REFURBISHMENT



At Schlam, we transform older or worn equipment into high-performing, reliable assets. Through expert refurbishment and upgrades, we extend equipment life, enhance efficiency, and ensure your operations remain agile, responsive, and productive helping you get more from every asset.

DECOMMISSIONING AND RECYCLING




When your assets reach end of life, we can offer the safe decommissioning and recycling of truck beds and buckets — reducing risks and waste, cutting carbon, and supporting your sustainability goals.

GLOBAL LEADERSHIP. EXTENSIVE NETWORK.

Schlam is the world's largest custom truck bed and mining bucket manufacturer with hubs conveniently serving major hard rock mining centres.

Our global logistics expertise and network ensures fast, efficient delivery of products, parts, and support services wherever you operate.



KEY CUSTOMER PARTNERSHIPS

RioTinto

Newmont

BHP

BARRICK



THIESS

GLENCORE



Fortescue



HANCOCK
IRON ORE



HITACHI

KOMATSU

LIEBHERR

All volumes, widths, colours, wear components and GET shown are for illustrative purposes only, and all buckets can be customised to suit individual customer requirements. Manufacturers' names, descriptions, pictures and part numbers are used for reference purposes only.

SCHLAM ✨



SPEAK TO OUR PAYLOAD TEAM TODAY

APAC

PHONE	+61 8 6148 5555
ADDRESS	435 DUNDAS ROAD FORRESTFIELD WA 6058
EMAIL	INFO@SCHLAM.COM

AMERICAS

PHONE	+1 (520) 261 6413
ADDRESS	1 SOUTH CHURCH AVENUE SUITE 1720 TUCSON AZ 85701
EMAIL	AMERICAS@SCHLAM.COM

EMEA

PHONE	+61 8 6148 5555
EMAIL	INFO@SCHLAM.COM
